



FIRSTSCAN REPORT TEMPLATES

Version 1

Note

Please note that when you do adapt any template you do not need to press SAVE AS, just exit the screen.

Template for Single Live Pregnancy = A

EXAM TYPE: TA & TV WITH CONSENT // TA - TV DECLINED BY CLIENT

CONFIRMATION OF INTRAUTERINE PREGNANCY: SINGLE

YOLK SAC: PRESENT/ABSENT

EMBRYO/FETUS: PRESENT

FETAL HEARTBEAT: PRESENT

CORPUS LUTEUM: LEFT/RIGHT

NORMAL ADNEXAE

NO HAEMORRHAGE SEEN

CONCLUSION:

Live intrauterine pregnancy

CHAPERONE NAME:

TV PROBE CLEANSED WITH TRISTEL DUO

BATCH NO: P7.....

EXPIRY DATE:

Template for Missed Miscarriage = Adapt A

EXAM TYPE: TA & TV WITH CONSENT // TA - TV DECLINED BY CLIENT

CONFIRMATION OF INTRAUTERINE PREGNANCY: SINGLE

YOLK SAC: PRESENT/ABSENT

EMBRYO: PRESENT

FETAL HEARTBEAT: ABSENT

CORPUS LUTEUM: LEFT/RIGHT

NORMAL ADNEXAE

NO HAEMORRHAGE SEEN

ULTRASOUND FINDINGS:

Suggestive of missed miscarriage

Refer to EPU as per NICE guidelines: www.nice.org.uk/CG154

CHAPERONE NAME:

TV PROBE CLEANSED WITH TRISTEL DUO

BATCH NO: P7.....

EXPIRY DATE:

Template for Pregnancy of Unknown Location = B

EXAM TYPE: TA & TV WITH CONSENT // TA - TV DECLINED BY CLIENT

NO INTRAUTERINE GESTATION SAC SEEN

ENDOMETRIUM MEASURES: mm TRANSONIC AREA MEASURES:

CORPUS LUTEUM: LEFT/RIGHT

NORMAL ADNEXAE

NO HAEMORRHAGE SEEN

CONCLUSION:

Pregnancy of unknown location (PUL). Refer to EPU

Refer to EPU as per NICE guidelines: www.nice.org.uk/CG154

CHAPERONE NAME:

TV PROBE CLEANSED WITH TRISTEL DUO

BATCH NO: P7.....

EXPIRY DATE:

Template for Inconclusive scan when gestation sac <25mm = Adapt A

EXAM TYPE: TA & TV WITH CONSENT // TA - TV DECLINED BY CLIENT

CONFIRMATION OF INTRAUTERINE PREGNANCY: SINGLE

GESTATION SAC MEAN DIAMETER:

YOLK SAC: PRESENT/ABSENT

EMBRYO/FETUS: PRESENT/ABSENT

CRL:

FETAL HEARTBEAT: ABSENT

CORPUS LUTEUM: LEFT/RIGHT

NORMAL ADNEXAE

NO HAEMORRHAGE SEEN

CONCLUSION:

Inconclusive scan. Pregnancy of unknown viability

Client advised to attend a rescan in 2 weeks

NICE guidelines: www.nice.org.uk/CG154

CHAPERONE NAME:

TV PROBE CLEANSED WITH TRISTEL DUO

BATCH NO: P7.....

EXPIRY DATE:

Template for Inconclusive scan when gestation sac >25mm = Adapt A

EXAM TYPE: TA & TV WITH CONSENT // TA - TV DECLINED BY CLIENT

CONFIRMATION OF INTRAUTERINE PREGNANCY: SINGLE

GESTATION SAC DIAMETER:

YOLK SAC: PRESENT/ABSENT

EMBRYO/FETUS: PRESENT/ABSENT

CRL:

FETAL HEARTBEAT: ABSENT

CORPUS LUTEUM: LEFT/RIGHT

NORMAL ADNEXAE

NO HAEMORRHAGE SEEN

CONCLUSION:

Inconclusive scan. Pregnancy of unknown viability

Refer to EPU as per NICE guidelines: www.nice.org.uk/CG154

CHAPERONE NAME:

TV PROBE CLEANSED WITH TRISTEL DUO

BATCH NO: P7.....

EXPIRY DATE:

Template for Ectopic Pregnancy = C

EXAM TYPE: TA & TV WITH CONSENT // TA - TV DECLINED BY CLIENT

NO INTRAUTERINE GESTATION SAC SEEN

ENDOMETRIUM MEASURES:

PSEUDOSAC NOTED:

MASS SEEN IN LEFT/RIGHT ADNEXUM

CORPUS LUTEUM: LEFT/RIGHT

FLUID IN POD

CONCLUSION:

Ultrasound appearances suggest ECTOPIC PREGNANCY

Ambulance requested 18 minute blue light response time

CHAPERONE NAME:

TV PROBE CLEANSED WITH TRISTEL DUO

BATCH NO: P7.....

EXPIRY DATE:

Template for Complete Miscarriage (only after previous scan confirmed intrauterine pregnancy)

EXAM TYPE: TA & TV WITH CONSENT // TA - TV DECLINED BY CLIENT

ENDOMETRIUM MEASURES:

CORPUS LUTEUM: LEFT/RIGHT

NORMAL ADNEXAE

NO HAEMORRHAGE SEEN

CONCLUSION:

Complete miscarriage

Previous scan:

CHAPERONE NAME:

TV PROBE CLEANSED WITH TRISTEL DUO

BATCH NO: P7.....

EXPIRY DATE:

Template for Twin Pregnancy

Go back to ID screen and change number of fetus' to 2 before measuring CRL's.

To measure CRL: after selecting CALC, go to Twin A for 1st twin, then go to Twin B for 2nd twin.

EXAM TYPE: TA & TV WITH CONSENT // TA - TV DECLINED BY CLIENT

SINGLE / TWO GESTATION SACS

Fetus A

YOLK SAC: PRESENT/ABSENT

EMBRYO/FETUS: PRESENT/ABSENT

FETAL HEARTBEAT: PRESENT/ABSENT

Fetus B

YOLK SAC: PRESENT/ABSENT

EMBRYO/FETUS: PRESENT/ABSENT

FETAL HEARTBEAT: PRESENT/ABSENT

CORPUS LUTEUM: LEFT/RIGHT

NORMAL ADNEXAE

NO HAEMORRHAGE SEEN

CONCLUSION:

Twin intrauterine pregnancy, DCDA / MCDA / MCMA

CHAPERONE NAME:

TV PROBE CLEANSED WITH TRISTEL DUO

BATCH NO: P7.....

EXPIRY DATE:

Template for Suspected Molar Pregnancy

Exam Type: TA

The uterine cavity is enlarged and is filled with a heterogeneous mass containing multiple cystic areas. (Snowstorm appearance).

No fetus identified.

Refer to EPU.

CHAPERONE NAME:

Template for Suspected Partial Molar Pregnancy

Exam Type: TA

The uterus contains echogenic placental tissue with multiple cystic areas.

A fetus is present.

FH present / Absent.

Refer to EPU.

CHAPERONE NAME:

This referral should NOT mention the word Molar pregnancy nor in any discussion with client.

Please note that Molar pregnancy does not develop before 9 weeks as it is placental in origin.